### EVERY PREATTERS. Don't let RSV take your breath away. **CDC** recommends 60+ **ABRYSVO for adults** 60 years and older to help protect against RSV. **ABRYSVO**<sup>™</sup> Respiratory Syncytial Virus Vaccine **P**fizer Actor portrayal

#### INDICATION

ABRYSVO<sup>™</sup> is a vaccine indicated for the prevention of lower respiratory tract disease caused by respiratory syncytial virus (RSV) in adults 60 years of age and older.

#### **IMPORTANT SAFETY INFORMATION**

 ABRYSVO should not be given to anyone with a history of severe allergic reaction (eg, anaphylaxis) to any of its components

Please see Important Safety Information continued on pages 2-6. Please click for full Prescribing Information for ABRYSVO.

# RSV is a highly contagious virus that can have severe symptoms.

Respiratory syncytial virus (RSV), is a virus that affects the lungs and airways, and spreads easily. With symptoms similar to the flu, it can range from mild to severe, potentially leading to difficulties in breathing.



RSV can start mild, like a cold, with symptoms like congestion, runny nose, sore throat, fever and cough. But it can quickly become serious, with symptoms like:

- difficulty breathing
- wheezing
- wet cough
- pneumonia

#### **IMPORTANT SAFETY INFORMATION (continued)**

Vaccination with ABRYSVO may not protect all people

Please see Important Safety Information continued on pages 1-6. Please click for full <u>Prescribing Information</u> for ABRYSVO.

## Even healthy people aged 60 or older can become sick with RSV.



As you age, your immune system weakens, potentially leaving you vulnerable to serious infections, like RSV.



RSV can be serious for adults over the age of 60 and can worsen conditions such as:

- Asthma
- Chronic obstructive pulmonary disease (COPD)
- Congestive heart failure



In very serious cases, RSV can lead to hospitalization and death.

#### **IMPORTANT SAFETY INFORMATION (continued)**

 In adults 60 years of age and older, the most common side effects (≥10%) were fatigue, headache, pain at the injection site, and muscle pain

Ask your healthcare provider about the risks and benefits of ABRYSVO. Only a healthcare provider can decide if ABRYSVO is right for you. Always talk to your healthcare provider about any side effects you may experience.

Please see Important Safety Information continued on pages 1-6. Please click for full Prescribing Information for ABRYSVO.



## ABRYSVO is proven to help protect against RSV.

The CDC recommends adults 60 and older talk with their doctor about getting vaccinated with ABRYSVO.

ABRYSVO (Respiratory Syncytial Virus Vaccine) helps your immune system make antibodies against RSV, so your body is better prepared to help protect you from the virus.

ABRYSVO was studied in a large clinical trial of 34,000 adults 60 and older, where half received ABRYSVO and half received placebo. Pfizer's RSV vaccine ABRYSVO was proven effective against RSV.

The most common side effects of participants who received ABRYSVO were fatigue, headache, pain at the injection site, and muscle pain. 9 out of 10 adults who received ABRYSVO in the clinical trial reported no injection-site side effects.



# Ask your pharmacist or doctor about PFIZER'S RSV vaccine, ABRYSVO.

For more information, or to find Abrysvo at a pharmacy or doctor near you, visit

www.abrysvo.com



Use your smartphone camera to scan to find where to get **ABRYSVO** near you.



#### **IMPORTANT SAFETY INFORMATION (continued)**

- Fainting can happen after getting injectable vaccines, including ABRYSVO. Precautions should be taken to avoid falling and injury due to fainting
- Adults with weakened immune systems, including those receiving medicines that suppress the immune system, may have a reduced immune response to ABRYSVO

Please see Important Safety Information on pages 1-6. Please click for full <u>Prescribing Information</u> for ABRYSVO.

## ABRYSVO can be as low as \$0 for most patients.\*

ABRYSVO (Respiratory Syncytial Virus Vaccine) may be available to you at no cost in accordance with the Inflation Reduction Act. Certain vaccines may be covered or available at lower out-of-pocket costs in Medicare Part D, Medicaid, or other consumer plans through the Inflation Reduction Act. For more information visit cms.gov.



\*Coverage and cost may vary and are subject to change without notice. Reimbursement decisions are made by individual insurance plans.

Ask your doctor or pharmacist if ABRYSVO is covered under your insurance plan. Check your coverage by calling your insurance company or by calling Pfizer RX Pathways at 1-844-989-7284.

You are encouraged to report side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <a href="http://www.vaers.hhs.gov">http://www.vaers.hhs.gov</a> or call 1-800-822-7967.

Please see Important Safety Information continued on pages 1-6. Please click for full <u>Prescribing Information</u> for ABRYSVO.

PP-A1G-USA-0462 © 2023 Pfizer Inc. All rights reserved. October 2023